CAT 340 Long Reach with hydr uc factory CE and EPA

Amount of previous owners	
Attachments	
Brand	
Bucket capacity	cm3
Certificates	
Condition	
Condition info/guarantee	
Country	
Delivery terms	
Dipper / stick length	cm
Emission level	
Engine	
Engine manufacturer	
Engine output	hp
Full service history	
General grade (1 min - 5 max)	
Gross Weight	kg
Inspection report	
Internal stock no.	
Latest inspection	

Machine location	
Manufacturing / Serial number	
Model	
Model description	
Original colour	
Other information	one [1] unit Caterpillar 340 Long Reach hydraulic excavator 1600 hours only Long Reach boom and stick hydraulic adjustable undercarriage , extra long , extra wide Erops cabin with airconditioning airsuspended driverseat climate control radio player with Bluetooth electr refuel pump rear view and dead spot camera check valves automatic central greasing system original colour engine Cat 9.3 with 325 Hp working weight 45.000 kg factory CE certified Price ex works Haaften The Netherlands Quality, Reliability and Durability Come Standard. The Cat® 340 is evidence of our time-proven engineering and manufacturing know-how for top-notch quality, reliability, and durability. In addition to a powerful engine with millions of hours of service and reinforced booms and sticks for taking on hard and heavy work, the standard, heavy-duty reinforced undercarriage expertly absorbs the stress between jobsite terrain and machine. Built

	for rugged conditions, this rock-solid machine will help you turn payloads into profit. Benefits Get More Work Done The 340 features high horsepower, a wide undercarriage, and an optional heavy counterweight, allowing larger work tools to handle substantial payloads and achieve exceptional production output. Save Time and Resources Extended service intervals and top fuel efficiency mean you'll spend more time working and less time and money on maintenance. Easy-to-Use Technology Available technology enables operators of all skill levels to produce faster, better cuts and fills and more accurate payloads. Cat Grade and Payload enhance speed, accuracy, and operating efficiency. Cat E-Fence improves jobsite safety for you, your team, and others.
Output of the auxiliary hydraulics	l/min
Power type	
Product link	
Production country	
Registration number	
Track width	cm
Transport dimensions (LxWxH)	m
Tyre brand	

Undercarriage	%
Year of manufacture	