CAT 395 Long Reach 23 mtr year 2022 factory EPA CE

Amount of previous owners	
Attachments	
Brand	
Bucket capacity	cm3
Certificates	
Condition	
Condition info/guarantee	
Country	
Delivery terms	
Dipper / stick length	cm
Emission level	
Engine	
Engine manufacturer	
Engine output	hp
Full service history	
General grade (1 min - 5 max)	
Gross Weight	kg
Inspection report	
Internal stock no.	
Latest inspection	





RIVERLAND EQUIPMENT BV

RIVERLAND EQUIPMENT BV
Hertog Karelweg 21
NL 4175 LS Haaften

Machine location	
Manufacturing / Serial number	
Model	
Model description	
Original colour	
Other information	new unused Caterpillar 395 Long Reach excavator year 2022 Erops cabin with airconditioning and climatecontrol airsuspended driver seat new Heavy Duty Long Reach boom and stick 21,5 mtr extra counterweight VG undercarriage with 850 mm or 600 mm trackshoes reverse camera with colourscreen electric refueling pump worklights radio CD player c/w cat walks total weight plusmin 102.000 kg factory CE certified factory EPA certiied Price ex works Haaften The Netherlands each Euro Powers Through Demanding Work. The Cat® 395 Excavator is a powerhouse that gets the job done every time. Built with the 540 horsepower Cat C18 engine, this machine is a groundbreaking rockstar with fast cycle times and a powerful digging force that eases bucket penetration and digs down deep with maximum digging depths from 7.2 m (23.7 ft) up to 11.7m (38.5 ft). Equipped

The Netherlands

T: +31 418 654000
F: +31 418 651623

E: info@riverlandequipment.com
E: sales@riverlandequipment.com

	with the latest Cat technology, the 395 helps you make informed and smart decisions to help improve jobsite efficiency, increase productivity, and return safely home every day. If you want to generate big-time results for your business, put the 395 next generation excavator to work. It is the top choice in its size class. Benefits Turn Payloads into Profit With a heavy structural weight, powerful swing torque, and dynamic stick force, this 95-tonne machine easily handles a SD 5.2 m^3 (6.8 yd^3) bucket, earning you big paydays. Heavy-Duty Durability Reinforced booms and sticks take on hard and heavy work while the standard, heavy-duty reinforced undercarriage expertly absorbs the stress between jobsite terrain and machine. Save Time and Money Cat® Next Generation Excavators share common parts, extended and synchronized service intervals, exceptional customer service, and superior product support.
Output of the auxiliary hydraulics	l/min
Power type	
Product link	
Production country	
Registration number	

Top speed	km/h
Track width	cm
Transport dimensions (LxWxH)	m
Undercarriage	
Year of manufacture	