

CAT 395 Long Reach 23 mtr year 2025 factory CE EPA

Amount of previous owners

Attachments

Brand

Bucket capacity                      cm3

Certificates

Condition

Condition info/guarantee

Country

Delivery terms

Dipper / stick length                      cm

Emission level

Engine

Engine manufacturer

Engine output                      hp

Full service history

General grade (1 min - 5 max)

Gross Weight                      kg

Inspection report

Internal stock no.

Latest inspection



Machine location

Manufacturing / Serial  
number

Model

Model description

Original colour

Other information

new unused 2025 Erops cabin with airconditioning and climatecontrol airsuspended driver seat new Heavy Duty Long Reach boom and stick 23 mtr extra counterweight VG undercarriage with 850 mm or 600 mm trackshoes reverse camera with colourscreen electric refueling pump worklights radio CD player c/w cat walks total weight 108.000 kg factory CE certified factory EPA certiiied Price ex works Haaften The Netherlands each Powers Through Demanding Work. The Cat® 395 Excavator is a powerhouse that gets the job done every time. Built with the 540 horsepower Cat C18 engine, this machine is a groundbreaking rockstar with fast cycle times and a powerful digging force that eases bucket penetration and digs down deep with maximum digging depths from 7.2 m (23.7 ft) up to 11.7m (38.5 ft). Equipped with the latest Cat technology, the 395 helps you make informed and smart



**RIVERLAND**  
**EQUIPMENT BV**

**RIVERLAND EQUIPMENT BV**

Hertog Karelweg 21  
NL 4175 LS Haaften  
The Netherlands

T: +31 418 654000

F: +31 418 651623

E: [info@riverlandequipment.com](mailto:info@riverlandequipment.com)

E: [sales@riverlandequipment.com](mailto:sales@riverlandequipment.com)

decisions to help improve jobsite efficiency, increase productivity, and return safely home every day. If you want to generate big-time results for your business, put the 395 next generation excavator to work. It is the top choice in its size class. Benefits Turn Payloads into Profit With a heavy structural weight, powerful swing torque, and dynamic stick force, this 95-tonne machine easily handles a SD 5.2 m<sup>3</sup> (6.8 yd<sup>3</sup>) bucket, earning you big paydays. Heavy-Duty Durability Reinforced booms and sticks take on hard and heavy work while the standard, heavy-duty reinforced undercarriage expertly absorbs the stress between jobsite terrain and machine. Save Time and Money Cat® Next Generation Excavators share common parts, extended and synchronized service intervals, exceptional customer service, and superior product support.

|                                    |       |
|------------------------------------|-------|
| Output of the auxiliary hydraulics | l/min |
| Power type                         |       |
| Product link                       |       |
| Production country                 |       |
| Registration number                |       |
| Top speed                          | km/h  |
| Track width                        | cm    |

Transport dimensions      m  
(LxWxH)

Undercarriage

Year of manufacture