

CAT 395 with only 1600 hours all hydr lines CE and EPA

- Amount of previous owners
- Attachments
- Brand
- Bucket capacity cm3
- Certificates
- Condition
- Condition info/guarantee
- Country
- Delivery terms
- Dipper / stick length cm
- Emission level
- Engine
- Engine manufacturer
- Engine output hp
- Full service history
- General grade (1 min - 5 max)
- Gross Weight kg
- Inspection report
- Internal stock no.
- Latest inspection



Machine location

Manufacturing / Serial
number


Model

Model description

Original colour

Other information

one [1] demo Caterpillar 395 Long Reach excavator demo 1600 hours Erops cabin with airconditioning and climatecontrol airsuspended driver seat GO boom and stick automatic central greasing system all hydraulic lines for hammer shear rotating quick coupler VG undercarriage with 850 mm trackshoes reverse camera with colourscreen electric refueling pump worklights radio CD player c/w cat walks total weight 95.000 kg factory CE certified factory EPA certified Price ex works Haaften The Netherlands each Euro Powers Through Demanding Work. The Cat® 395 Excavator is a powerhouse that gets the job done every time. Built with the 540 horsepower Cat C18 engine, this machine is a groundbreaking rockstar with fast cycle times and a powerful digging force that eases bucket penetration and digs down deep with maximum digging depths from 7.2 m [23.7 ft] up to 11.7m [38.5 ft]. Equipped



RIVERLAND
EQUIPMENT BV

RIVERLAND EQUIPMENT BV

Hertog Karelweg 21
NL 4175 LS Haaften
The Netherlands

T: +31 418 654000

F: +31 418 651623

E: info@riverlandequipment.com

E: sales@riverlandequipment.com

with the latest Cat technology, the 395 helps you make informed and smart decisions to help improve jobsite efficiency, increase productivity, and return safely home every day. If you want to generate big-time results for your business, put the 395 next generation excavator to work. It is the top choice in its size class. Benefits Turn Payloads into Profit With a heavy structural weight, powerful swing torque, and dynamic stick force, this 95-tonne machine easily handles a SD 5.2 m³ (6.8 yd³) bucket, earning you big paydays. Heavy-Duty Durability Reinforced booms and sticks take on hard and heavy work while the standard, heavy-duty reinforced undercarriage expertly absorbs the stress between jobsite terrain and machine. Save Time and Money Cat® Next Generation Excavators share common parts, extended and synchronized service intervals, exceptional customer service, and superior product support.

Output of the auxiliary hydraulics

l/min

Power type

Product link

Production country

Registration number

Top speed	km/h
Track width	cm
Transport dimensions (LxWxH)	m
Undercarriage	
Year of manufacture	